BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 58 NOS. 1,2 **CONTENTS** **15 JULY 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Interactive report (This article is also accessible on the World Wide Web at: **http://www.elsevier.nl/locate/bres** or **http://www.elsevier.com/locate/bres**)

Cannabinoid receptor CB_1 mRNA is highly expressed in the rat ciliary body: implications for the antiglaucoma properties of marihuana
A. Porcella, P. Casellas, G.L. Gessa and L. Pani (Italy, France) 240

Research reports

Indicators of glial activation and brain oxidative stress after intraventricular infusion of endotoxin
K. Sugaya, S. Chou, S.-J. Xu and M. McKinney (USA) 1

Light affects c-*fos* expression and phospholipid synthesis in both retinal ganglion cells and photoreceptor cells in an opposite way for each cell type
D.F. Bussolino, G.A. De Arriba Zerpa, V.R. Grabois, C.B. Conde, M.E. Guido and B.L. Caputto (Argentina) 10

GABA receptor subunit mRNA expression in brain of conflict, yoked control and control rats
L. Zhang, D.R. Rubinow, W. Ma, J.M. Marks, A.N. Feldman, J.L. Barker and T.A. Tathan (USA) 16

Roles of Bcl-2 and caspases in hypoxia-induced neuronal cell death: a possible neuroprotective mechanism of peptide growth factors
M. Tamatani, S. Ogawa and M. Tohyama (Japan) 27

Changes in GluR4 expression induced by metabotropic receptor activation in radial glia cultures
T. López, A.M. López-Colomé and A. Ortega (Mexico) 40

Putative leech dopamine1-like receptor molecular characterization: sequence homologies between dopamine and serotonin leech CNS receptors explain pharmacological cross-reactivities
B. Salzet, G.B. Stefano, M. Verger-Bocquet and M. Salzet (France, USA) 47

Cloning of cDNAs encoding *Xenopus* neuregulin: expression in myotomal muscle during embryo development
J.F. Yang, H. Zhou, S. Pun, N.Y. Ip, H.B. Peng and K.W.K. Tsim (China, USA) 59

In vitro autoradiography of GTPγ[^{35}S] binding at activated NPY receptor subtypes in adult rat brain
R.J. Primus, E. Yevich and D.W. Gallager (USA) 74

Cloning of *PCPTP1-Ce* encoding protein tyrosine phosphatase from the rat cerebellum and its restricted expression in Purkinje cells
Y. Watanabe, K. Shiozuka, T. Ikeda, N. Hoshi, H. Hiraki, T. Suzuki, S. Hashimoto and H. Kawashima (Japan) 83

Differential effects of mood stabilizers on Fos/Jun proteins and AP-1 DNA binding activity in human neuroblastoma SH-SY5Y cells
V. Asghari, J.F. Wang, J.S. Reiach and L.T. Young (Canada) 95

FMRFamide-related gene family in the nematode, *Caenorhabditis elegans*
L.S. Nelson, K. Kim, J.E. Memmott and C. Li (USA) 103

An region upstream of the gene promoter for the β-amyloid precursor protein interacts with proteins from nuclear extracts of the human brain and PC12 cells
D.K. Lahiri (USA) 112

Distribution of mRNA for the α4 subunit of the nicotinic acetylcholine receptor in the human fetal brain
C. Agulhon, Y. Charnay, P. Vallet, D. Bertrand and A. Malafosse (Switzerland) 123

Increased expression of 3-hydroxyanthranilate 3,4-dioxygenase gene in brain of epilepsy-prone El mice
Y. Nakagawa, H. Asai, T. Miura, J. Kitoh, H. Mori and K. Nakano (Japan) 132

Visualisation of non-glycosylated somatostatin receptor two (ngsst2) immunoreactivity in the rat central nervous system
G. Hervieu and P.C. Emson (UK) 138

Molecular characterization, pharmacological properties and chromosomal localization of the human GALR2 galanin receptor
Z. Fathi, P.M. Battaglino, L.G. Iben, H. Li, E. Baker, D. Zhang, R. McGovern, C.D. Mahle, G.R. Sutherland, T.P. Iismaa, K.E.J. Dickinson and I. Antal Zimanyi (USA, Australia) 156

(contents continued on p. 248)

CONTENTS DIRECT

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **ContentsDirect** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect.** If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk - specifying the title of the publication you wish to register for.

0169-328X(19980715)58:1/2;1-A

BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 58 NOS. 1,2 **CONTENTS** **15 JULY 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Interactive report (This article is also accessible on the World Wide Web at: **http://www.elsevier.nl/locate/bres** or **http://www.elsevier.com/locate/bres**)

Cannabinoid receptor CB_1 mRNA is highly expressed in the rat ciliary body: implications for the antiglaucoma properties of marihuana
A. Porcella, P. Casellas, G.L. Gessa and L. Pani (Italy, France) 240

Research reports

Indicators of glial activation and brain oxidative stress after intraventricular infusion of endotoxin
K. Sugaya, S. Chou, S.-J. Xu and M. McKinney (USA) 1

Light affects c-*fos* expression and phospholipid synthesis in both retinal ganglion cells and photoreceptor cells in an opposite way for each cell type
D.F. Bussolino, G.A. De Arriba Zerpa, V.R. Grabois, C.B. Conde, M.E. Guido and B.L. Caputto (Argentina) 10

GABA receptor subunit mRNA expression in brain of conflict, yoked control and control rats
L. Zhang, D.R. Rubinow, W. Ma, J.M. Marks, A.N. Feldman, J.L. Barker and T.A. Tathan (USA) 16

Roles of Bcl-2 and caspases in hypoxia-induced neuronal cell death: a possible neuroprotective mechanism of peptide growth factors
M. Tamatani, S. Ogawa and M. Tohyama (Japan) 27

Changes in GluR4 expression induced by metabotropic receptor activation in radial glia cultures
T. López, A.M. López-Colomé and A. Ortega (Mexico) 40

Putative leech dopamine1-like receptor molecular characterization: sequence homologies between dopamine and serotonin leech CNS receptors explain pharmacological cross-reactivities
B. Salzet, G.B. Stefano, M. Verger-Bocquet and M. Salzet (France, USA) 47

Cloning of cDNAs encoding *Xenopus* neuregulin: expression in myotomal muscle during embryo development
J.F. Yang, H. Zhou, S. Pun, N.Y. Ip, H.B. Peng and K.W.K. Tsim (China, USA) 59

In vitro autoradiography of GTPγ[^{35}S] binding at activated NPY receptor subtypes in adult rat brain
R.J. Primus, E. Yevich and D.W. Gallager (USA) 74

Cloning of *PCPTP1-Ce* encoding protein tyrosine phosphatase from the rat cerebellum and its restricted expression in Purkinje cells
Y. Watanabe, K. Shiozuka, T. Ikeda, N. Hoshi, H. Hiraki, T. Suzuki, S. Hashimoto and H. Kawashima (Japan) 83

Differential effects of mood stabilizers on Fos/Jun proteins and AP-1 DNA binding activity in human neuroblastoma SH-SY5Y cells
V. Asghari, J.F. Wang, J.S. Reiach and L.T. Young (Canada) 95

FMRFamide-related gene family in the nematode, *Caenorhabditis elegans*
L.S. Nelson, K. Kim, J.E. Memmott and C. Li (USA) 103

An region upstream of the gene promoter for the β-amyloid precursor protein interacts with proteins from nuclear extracts of the human brain and PC12 cells
D.K. Lahiri (USA) 112

Distribution of mRNA for the α4 subunit of the nicotinic acetylcholine receptor in the human fetal brain
C. Agulhon, Y. Charnay, P. Vallet, D. Bertrand and A. Malafosse (Switzerland) 123

Increased expression of 3-hydroxyanthranilate 3,4-dioxygenase gene in brain of epilepsy-prone El mice
Y. Nakagawa, H. Asai, T. Miura, J. Kitoh, H. Mori and K. Nakano (Japan) 132

Visualisation of non-glycosylated somatostatin receptor two (ngsst2) immunoreactivity in the rat central nervous system
G. Hervieu and P.C. Emson (UK) 138

Molecular characterization, pharmacological properties and chromosomal localization of the human GALR2 galanin receptor
Z. Fathi, P.M. Battaglino, L.G. Iben, H. Li, E. Baker, D. Zhang, R. McGovern, C.D. Mahle, G.R. Sutherland, T.P. Iismaa, K.E.J. Dickinson and I. Antal Zimanyi (USA, Australia) 156

(contents continued on p. 248)

CONTENTS DIRECT

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **ContentsDirect** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect.** If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk - specifying the title of the publication you wish to register for.

0169-328X(19980715)58:1/2;1-A

(contents continued)

GLUT1 glucose transporter: differential gene transcription and mRNA binding to cytosolic and polysome proteins in brain and peripheral tissues
H. Tsukamoto, Y. Hamada, D. Wu, R.J. Boado and W.M. Pardridge (USA) 170

Identification and expression of the Na^+/H^+ exchanger in mammalian cerebrovascular and choroidal tissues: characterization by amiloride-sensitive [^{3}H]MIA binding and RT–PCR analysis
R.N. Kalaria, D.R.D. Premkumar, C.-W. Lin, S.N. Kroon, J.-Y. Bae, L.M. Sayre and J.C. LaManna (USA) 178

In vivo IL-1β-induced modulation of G-protein α_o subunit subclass in the hypothalamic ventromedial nucleus: implications to IL-1β-associated anorexia
C.R. Plata-Salamán, C.D. Wilson and J.M.H. Ffrench-Mullen (USA) 188

Kainic acid induced expression of interleukin-1 receptor antagonist mRNA in the rat brain
C. Eriksson, B. Winblad and M. Schultzberg (Sweden) 195

Short communications

Superoxide radicals are mediators of the effects of methamphetamine on *Zif268* (Egr-1, NGFI-A) in the brain: evidence from using CuZn superoxide dismutase transgenic mice
H. Hirata, M. Asanuma and J.L. Cadet (USA) 209

Identification of a naturally occurring Pro_{15}–Ser_{15} substitution in the $serotonin_{5A}$ receptor gene in alcoholics and healthy volunteers
N. Iwata, M. Virkkunen, M. Linnoila and D. Goldman (USA, Finland) 217

Up-regulation of NMDA receptor subunits in rat brain following chronic ethanol treatment
H.S.G. Kalluri, A.K. Mehta and M.K. Ticku (USA) 221

Lithium stimulates gene expression through the AP-1 transcription factor pathway
P.-X. Yuan, G. Chen, L.-D. Huang and H.K. Manji (USA) 225

Subpopulations of cortical GABAergic interneurons differ by their expression of D1 and D2 dopamine receptor subtypes
C. Le Moine and P. Gaspar (France) 231

Prevention from hypoxia-induced apoptosis by pre-conditioning: a mechanistic approach in cultured neurons from fetal rat forebrain
C. Bossenmeyer-Pourié and J.-L. Daval (France) 237

Author Index 246